

|   |             |
|---|-------------|
| 1 | DESCRIPTION |
|---|-------------|

**Type:** Panels: top layer (A quality with the chosen look, thickness and touch), MDF core and a balancing layer (A, B<sup>+</sup> or B quality). Flex: top layer (A quality) and paper layer. The Oak vintage look uses old timbers which are recycled to retain the authentic nature.

**Thickness:** MDF panels: 18 mm, veneer: 1 or 1.5 mm<sup>(\*)</sup>

**Splicing method:** Mixmatch assembled, not spliced.

**Finishing Product:** Look, Thickness and Touch are free to choose according to the design. Overview of the possibilities, you can find in the brochure.

More info: [www.querkusdecospan.com](http://www.querkusdecospan.com)

|                                    | TEST METHOD | PANELS                           |
|------------------------------------|-------------|----------------------------------|
| <b>Dimensions</b>                  |             | 3050x1220x19 or 2500x1240x19 mm  |
| <b>Density</b>                     | EN323       | 600-700 kg/m <sup>3</sup>        |
| <b>Moisture content panel</b>      | EN322       | 6 % (tolerance: ± 3)             |
| <b>Internal bond</b>               | EN319       | ≥ 0,35 N/mm <sup>2</sup>         |
| <b>Bending strength</b>            | EN310       | ≥ 13 N/mm <sup>2</sup>           |
| <b>Modulus of elasticity</b>       | EN310       | ≥ 1600 N/mm <sup>2</sup>         |
| <b>Formaldehyde</b>                | EN717-1     | E2                               |
| <b>Deviation of thickness</b>      | EN14323     | ± 0,2 mm                         |
| <b>Deviation of length + width</b> | EN14323     | ± 2 mm                           |
| <b>Deviation of squareness</b>     | EN324       | ± 2 mm/m                         |
| <b>Flatness</b>                    | EN14323     | 2 mm/m                           |
| <b>VOC loss</b>                    | EN664       | ≤ 3% ppm                         |
| <b>PCP content</b>                 | CEN14823    | ≤ 5 %                            |
| <b>Fire classification</b>         | EN13501-1   | D-s <sub>2</sub> ,d <sub>0</sub> |

<sup>(\*)</sup>Keep in mind that this is the thickness of the veneer before we process it. The final thickness may vary.

|                              |                       |                           |         |
|------------------------------|-----------------------|---------------------------|---------|
| <b>DECOSPAN</b> <sup>®</sup> | Querkus – Oak Vintage | DOC code: DECO TI - 16002 |         |
|                              | Version 2.0           | 05/11/2024                | Page: 1 |

# Technical info

## Querkus – Oak Vintage



|   |      |
|---|------|
| 3 | FLEX |
|---|------|

**Plain:** 3050 x 1240 x 1mm

|   |                 |
|---|-----------------|
| 4 | OTHER DOCUMENTS |
|---|-----------------|

- Technical standards MDF panel
- Querkus folder
- Pure Wood Charter
- FSC Certificate

### Decospan NV

Industriezone Grensland

Lageweg 33

8930 Menen – Belgium

T +32 56 52 88 00

E-mail: [info@decospan.com](mailto:info@decospan.com)

\* The information is obtained with utmost care and the results are compiled by reliable sources. The herein contained information and data are considered to be accurate and correct, with reservation of misprints, norm errors or other mistakes. Decospan makes no warranty of any kind, expressed or implied, concerning the accuracy or completeness of the information. Decospan will not be liable for claims relating to any party's use of or reliance on information and data contained herein, regardless of whether it is claimed that the info is inaccurate, incomplete or otherwise misleading. It is offered for your consideration, investigation and verification. Due to possible technical changes it is the user's responsibility to obtain the most up to date information.

|                              |                       |                           |         |
|------------------------------|-----------------------|---------------------------|---------|
| <b>DECOSPAN</b> <sup>®</sup> | Querkus – Oak Vintage | DOC code: DECO TI - 16002 |         |
|                              | Version 2.0           | 05/11/2024                | Page: 2 |